



Vaccine Schedule Dallas Office

Due to cost differences of vaccines in different cities, the Dallas and Plano offices follow slightly different vaccine schedules, however both follow the guidelines set by the AAP.

AGE

2 weeks

- Hep B #1 – Vaccine against Hepatitis B

2 months

- Pentacel
 - DTaP #1 – Vaccine against Diphtheria, Tetanus, and Whooping Cough
 - IPV #1 – Vaccine against Polio
 - HIB #1 – Vaccine against Haemophilus influenza type B, a bacteria that can cause pneumonia, ear infections, and meningitis
- PCV #1 – Vaccine against Pneumococcus, a bacteria that cause pneumonia and ear infections
- Hep B #2 – Vaccine against Hepatitis B
- Rotateq #1 – Vaccine against Rotavirus, a virus that causes severe diarrhea

4 months

- Pentacel
 - DTaP #2 - Vaccine against Diphtheria, Tetanus, and Whooping Cough
 - IPV #2 - Vaccine against Polio
 - HIB #2 - Vaccine against Haemophilus influenza type B, a bacteria that can cause pneumonia, ear infection, and meningitis
- PCV #2 - Vaccine against Pneumococcus, a bacteria that causes pneumonia and ear infections
- Rotateq #2 - Vaccine against Rotavirus, a virus that causes severe diarrhea

6 months

- Pentacel
 - DTaP #3 – Vaccine against Diphtheria, Tetanus, and Whooping Cough
 - IPV #3 – Vaccine against Polio
 - HIB #3 – Vaccine against Haemophilus influenza type B, a bacteria that can cause pneumonia, ear infections, and meningitis
- PCV #3 – Vaccine against Pneumococcus, a bacteria that cause pneumonia and ear infections
- Hep B #3 – Vaccine against Hepatitis B
- Rotateq #3 – Vaccine against Rotavirus, a virus that causes severe diarrhea

9 months

- No shots

12 months

- MMR #1 - Measles, Mumps, and Rubella vaccine
- Varicella #1 - Chickenpox vaccine
- PCV #4 - Vaccine against Pneumococcus, a bacteria that causes pneumonia and ear infections



15 months

- Pentacel
 - DTaP #4 – Vaccine against Diphtheria, Tetanus, and Whooping Cough
 - IPV #4 – Vaccine against Polio
 - Hib #4 – Vaccine against Haemophilus influenzae type B, a bacteria that can cause pneumonia, ear infections, and meningitis
- Hep A #1 – Vaccine against Hepatitis A

18 months

- No shots

24 months

- Hep A #2 – Vaccine against Hepatitis A

30 months

- No shots

36 months

- No shots

48 months

- MMRV
 - MMR #2 - Measles, Mumps, and Rubella vaccine
 - Varicella #2 - Chickenpox vaccine
- Kinrix
 - DTaP # - Vaccine against Diphtheria, Tetanus, and Whooping Cough
 - IPV #4 – Vaccine against Polio

11 years

- MCV4 – Vaccine against bacteria that causes meningococcal meningitis.
- Tdap – Booster vaccine against Tetanus and Whooping Cough
- HPV – Series of 3 vaccines over 6 months that protect against Human papillomavirus, a virus that causes cervical cancer, penile cancer, and genital warts.

16 – 18 years

- MCV4 – Booster vaccine against bacteria that causes meningococcal meningitis.

Immunization Policy – Forest Lane Pediatrics of Dallas and Plano

Our physicians believe that all children, unless there are medical contraindications, should be fully immunized per the vaccine schedule recommended by the American Academy of Pediatrics (AAP) and the Center for Disease Control (CDC). We are unable to accept new patients/families unless they are willing to fully comply with the recommended timetable. We believe this policy advocates for children and their best interest, as well as protects our patients who are too young to be vaccinated. If you are transferring from another practice, you will need to bring a copy of your child's immunization records to your child's first visit in order to be seen.

Please visit www.ForestLanePediatrics.com for more information about immunization.